


Claims


1. Product of general formula (I)



in which:

5 Φ represents a bond or a phenylene radical which can comprise, in addition to the two chains already represented in general formula (I), up to two substituents chosen from a hydrogen atom, a halogen, an OH group, and a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms;

A represents a



10 radical in which R_1, R_2, R_3, R_4, R_5 represent, independently, a hydrogen atom, a halogen, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a cyano, nitro or NR_6R_7 radical,

R_6 and R_7 representing, independently, a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or also a $-\text{COR}_8$ group,


15 R_8 representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or NR_9R_{10} ,

R_9 and R_{10} representing, independently, a hydrogen atom, the OH group or a linear or branched alkyl radical having 1 to 6 carbon atoms,

R_{11} representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a $-\text{COR}_{12}$ radical,

20 and R_{12} representing a hydrogen atom, the OH group, a linear or branched alkyl radical having 1 to 6 carbon atoms,

or a



radical in which R_1 , R_2 , R_3 , R_4 , R_5 represent, independently, a hydrogen atom, a halogen, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a cyano, nitro or NR_6R_7 radical,

- 5 R_6 and R_7 representing, independently, a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or also a $-COR_8$ group, R_8 representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or NR_9R_{10} ,

- 10 R_9 and R_{10} representing, independently, a hydrogen atom, the OH group or a linear or branched alkyl radical having 1 to 6 carbon atoms,

B represents $-CH_2-NO_2$, a linear or branched alkyl radical having 1 to 6 carbon atoms, carbocyclic or heterocyclic aryl with 5 or 6 members containing 1 to 4 heteroatoms chosen from O, S, N and in particular the thiophene, furan, pyrrole or thiazole radical, the aryl radical being optionally substituted by one or more groups chosen from linear or branched alkyl, alkenyl or alkoxy radicals having 1 to 6 carbon atoms,
15 or B represents an $NR_{13}R_{14}$ radical, in which R_{13} and R_{14} representing, independently, a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms or a cyano or nitro radical, or R_{13} and R_{14} form with the nitrogen atom a non aromatic heterocycle with five to six members, the elements of the chain being chosen from a
20 group composed of $-CH_2-$, $-NH-$, $-O-$ or $-S-$;

W does not exist, or represents a bond, or O, S or NR_{15} , in which R_{15} represents a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms;

X represents a bond or a $(CH_2)_k-NR_{16}-$, $-O-$, $-S-$, $-CO-$, $-NR_{16}-CO-$, $-CO-NR_{16}-$, $-O-CO-$, $-CO-O-$, $-NR_{16}-CO-O-$, $-NR_{16}-CO-NR_{17}-$ radical,

- 25 k representing 0 or 1;

Y represents a bond or a radical chosen from the $-(CH_2)_m-$, $-(CH_2)_m-O-(CH_2)_n-$, $-(CH_2)_m-S-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-CO-(CH_2)_n-$, $-(CH_2)_m-CO-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-Q-(CH_2)_n-$ radicals,

- 30 Q representing piperazine, homopiperazine, 2-methylpiperazine, 2,5-dimethylpiperazine, 4-oxypiperidine or 4-aminopiperidine radicals,


m and n being integers from 0 to 6;

R₁₆, R₁₇ and R₁₈ represent, independently, a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms;

or a salt of said product.

- 5 2. Product according to claim 1, characterized in that:


A represents a



radical in which R₁, R₂, R₃, R₄, R₅ represent, independently, a hydrogen atom, the OH group or a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms,

- 10 R₁₁ representing a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms,

or a



radical in which R₁, R₂, R₃, R₄, R₅ represent, independently, a hydrogen atom, the OH group or a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms;

- 15 B represents a carbocyclic or heterocyclic aryl radical with 5 or 6 members containing 1 to 4 heteroatoms chosen from O, S, N and in particular the thiophene, furan, pyrrole or thiazole radicals, the aryl radical being optionally substituted by one or more groups chosen from linear or branched alkyl, alkenyl or alkoxy radicals having 1 to 6 carbon atoms;

- 20 W does not exist, or represents a bond, S or NR₁₅, in which R₁₅ represents a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms;

X represents a bond or an $-(CH_2)_k-NR_{16}-$, $-O-$, $-S-$, $-CO-$, $-NR_{16}-CO-$, $-CO-NR_{16}-$, $-O-CO-$, $-CO-O-$, $-NR_{16}-CO-O-$, $-NR_{16}-CO-NR_{17}-$ radical


k representing 0 or 1;

Y represents a bond or a radical chosen from the $-(CH_2)_m-$, $-(CH_2)_m-O-(CH_2)_n-$, $-(CH_2)_m-S-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-CO-(CH_2)_n-$, $-(CH_2)_m-CO-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-Q-(CH_2)_n-$ radicals,

- 5 Q representing piperazine, homopiperazine, 2-methylpiperazine, 2,5-dimethylpiperazine, 4-oxypiperidine or 4-aminopiperidine, m and n being integers from 0 to 6.


3. Product according to claim 1 or 2, characterized in that:

A represents a



- 10 radical in which R_1 , R_2 , R_3 , R_4 and R_5 represent, independently, a hydrogen atom, the OH group or a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, R_{11} representing a hydrogen atom or a methyl radical,

or a



- 15 radical in which R_1 , R_2 , R_3 , R_4 , R_5 represent, independently, a hydrogen atom, the OH group or a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms;

B represents one of the phenyl, thiophene, furan, pyrrole or thiazole radicals optionally substituted by one or more groups chosen from linear or branched alkyl, alkenyl or alkoxy radicals having 1 to 6 carbon atoms;

- 20 W does not exist, or represents a bond, S or NR_{15} , in which R_{15} represents a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms;

X represents a bond or an $-(CH_2)_k-NR_{16}-$, $-O-$, $-S-$, $-CO-$, $-NR_{16}-CO-$, $-CO-NR_{16}-$, $-O-CO-$, $-CO-O-$, $-NR_{16}-CO-O-$, $-NR_{16}-CO-NR_{17}-$ radical,


k representing 0 or 1;

Y represents a bond or a radical chosen from the $-(CH_2)_m-$, $-(CH_2)_m-O-(CH_2)_n-$, $-(CH_2)_m-S-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-CO-(CH_2)_n-$, $-(CH_2)_m-CO-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-Q-(CH_2)_n-$ radicals,

Q representing piperazine, homopiperazine, 2-methylpiperazine, 2,5-dimethylpiperazine, 4-oxypiperidine or 4-aminopiperidine,
m and n being integers comprised from 0 to 6.

4. Product according to one of claims 1 to 3, characterized in that:

A represents a



radical in which R_1 , R_2 , R_3 , R_4 , R_5 represent, independently, a hydrogen atom or a methyl radical,

R_{11} representing a hydrogen atom or a methyl radical;

B represents the thiophene radical;

W does not exist, represents a single bond or S;

X does not exist or represents a $-(CH_2)_k-NR_{16}-$, $-O-$, $-S-$, $-CO-$, $-NR_{16}-CO-$, $-CO-NR_{16}-$, $-O-CO-$, $-CO-O-$, $-NR_{16}-CO-O-$, $-NR_{16}-CO-NR_{17}-$ radical;

k representing 0 or 1;

Y represents a bond or a radical chosen from the $-(CH_2)_m-$, $-(CH_2)_m-O-(CH_2)_n-$, $-(CH_2)_m-S-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-CO-(CH_2)_n-$, $-(CH_2)_m-CO-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-Q-(CH_2)_n-$ radicals,

Q representing piperazine,
m and n being integers comprised from 0 and 6;

R_{16} , R_{17} and R_{18} represent a hydrogen atom.

5. Product according to one of claims 1 to 4, characterized in that it is one of the following compounds:

- N-[4-(phenylamino)phenyl]-2-thiophenecarboximidamide;

- 4-{[2-thienyl(imino)methyl]amino}-N-[4-(phenylamino)phenyl]-benzeneacetamide;

- {4- {[2-thienyl(imino)methyl]amino} phenoxy}-N-[4-(phenylamino)phenyl]-acetamide;
- 4- {[2-thienyl(imino)methyl]amino}-N-[2-(phenylamino)phenyl]-benzenebutanamide;
- 4- {[2-thienyl(imino)methyl]amino}-N-[4-(phenylamino)phenyl]-benzenebutanamide;
- 5 - 4- {[2-thienyl(imino)methyl]amino}-N-[4-(4-methoxyphenylamino)phenyl]-benzenebutanamide;
- 2-{4- {[2-thienyl(imino)methyl]amino} phenyl}-ethyl [4-(phenylamino)phenyl]-carbamate;
- N-{2-{4- {[2-thienyl(imino)methyl]amino} phenyl} ethyl}-N'-[4-
- 10 (phenylamino)phenyl]-urea;
- 4-{4- {[2-thienyl(imino)methyl]amino} phenyl}-N-[4-(phenylamino)phenyl]-1-piperazine-acetamide;
- 1-{[(4-phenylamino)phenylamino]carbonyl}-4-{4- {[2-thienyl(imino)methyl]amino} phenyl}-piperazine;
- 15 - 4- {[2-thienyl(imino)methyl]amino}-N-[4-(phenylamino)phenyl]-benzenebutanamine;
- 3- {[2-thienyl(imino)methyl]amino}-N-[4-(phenylamino)phenyl]-benzenepropanamide;
- 4-(4-{[amino(2-thienyl)methylidene]amino} phenyl)-N-[2-(4-toluidino)phenyl]butanamide;
- 20 - 4-anilinophenyl-4-(4-{[amino(2-thienyl)methylidene]amino}-phenyl)butanoate;
- 4-(4-{[amino(2-thienyl)methylidene]amino} phenyl)-N-[2-(4-toluidino)phenyl]butanamide;
- N'-{4-[4-(3-anilinophenoxy)butyl]phenyl}-2-thiophenecarboximidamide;
- N'-(9*H*-carbazol-3-yl)-2-thiophenecarboximidamide;
- 25 - 4-(4-{[amino(2-thienyl)methylidene]amino} phenyl)-N-(9*H*-carbazol-3-yl)butanamide;
- N'-[4-(10*H*-phenothiazin-2-yloxy)phenyl]-2-thiophenecarboximidamide;
- N'-{4-[(10-methyl-10*H*-phenothiazin-2-yl)oxy]phenyl}-2-thiophenecarboximidamide;

- 4-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-
N-(10*H*-phenothiazin-3-yl)butanamide;
- N'-(4-{4-[2-(10*H*-phenothiazin-2-yloxy)ethyl]-1-piperazinyl}phenyl)-2-
thiophenecarboximidamide;
- 5 - 4-(4-{{amino(2-thienyl)methylidene}amino}
phenyl)-N-[4-(4-toluidino)phenyl]butanamide;
- 3-anilinophenyl 4-(4-{{amino(2-thienyl)methylidene}amino}-phenyl)butanoate;
- 2-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-
N-[2-(9*H*-carbazol-4-yloxy)ethyl]acetamide;
- 10 - N-(4-{{amino(2-thienyl)methylidene}amino}phenethyl)-2-anilinobenzamide;
- N-(4-{{amino(2-thienyl)methylidene}amino}phenethyl)-
2-(2,3-dimethylanilino)benzamide;
- N'-(4-[4-(2-anilinobenzoyl)-1-piperazinyl]phenyl)-2-thiophenecarboximidamide;
- N'-(4-{4-[2-(2,3-dimethylanilino)benzoyl]-1-piperazinyl}phenyl)-
15 2-thiophenecarboximidamide;
- 4-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-N-(4-
phenoxyphenyl)butanamide;
- N-(4-{{amino(2-thienyl)methylidene}amino}phenethyl)-
4-(4-hydroxyphenoxy)benzamide;
- 20 - N-[2-(9*H*-carbazol-4-yloxy)ethyl]-2-thiophenecarboximidamide;
- N-[3-(9*H*-carbazol-4-yloxy)propyl]-2-thiophenecarboximidamide;
- N-{4-[4-(10*H*-phenothiazin-2-yloxy)butyl]phenyl}-2-thiophenecarboximidamide;
- 3-[(3-{{amino(2-thienyl)methylidene}amino}-benzyl)amino]-
N-(4-anilinophenyl)propanamide;
- 25 - N'-(4-{2-[(10*H*-phenothiazin-3-ylmethyl)amino]ethyl}phenyl)-
2-thiophenecarboximidamide;

- N-(4-{{amino(2-thienyl)methylidene}amino}phenethyl)-2-methoxy-10H-phenothiazine-1-carboxamide;

- N'-[4-(2-{{(2-methoxy-10H-phenothiazin-1-yl)methyl}amino}ethyl)phenyl]-2-thiophenecarboximidamide;

5 - N'-{4-[(10H-phenothiazin-2-yloxy)methyl]phenyl}-2-thiophenecarboximidamide;

or one of their salts.

6. Product according to claim 5, characterized in that it is one of the following compounds:

10 - {4-{{2-thienyl(imino)methyl}amino}phenoxy}-N-[4-(phenylamino)phenyl]-acetamide;

- 4-{{2-thienyl(imino)methyl}amino}-N-[2-(phenylamino)phenyl]-benzenebutanamide;

- 4-{{2-thienyl(imino)methyl}amino}-N-[4-(phenylamino)phenyl]-benzenebutanamide;

- 2-{4-{{2-thienyl(imino)methyl}amino}phenyl}-ethyl [4-(phenylamino)phenyl]-carbamate ;

15 - 4-{4-{{2-thienyl(imino)methyl}amino}phenyl}-N-[4-(phenylamino)phenyl]-1-piperazine-acetamide;

- 3-{{2-thienyl(imino)methyl}amino}-N-[4-(phenylamino)phenyl]-benzenepropanamide;

20 - 4-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-N-[2-(4-toluidino)phenyl]butanamide;

- N'-{4-[4-(3-anilinophenoxy)butyl]phenyl}-2-thiophenecarboximidamide.;

- 4-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-N-(9H-carbazol-3-yl)butanamide;

- N'-[4-(10H-phenothiazin-2-yloxy)phenyl]-2-thiophenecarboximidamide;

25 - 4-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-N-(10H-phenothiazin-3-yl)butanamide;

- N'-(4-{4-[2-(10H-phenothiazin-2-yloxy)ethyl]-1-piperazinyl}phenyl)-2-thiophenecarboximidamide;

- 4-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-N-(4-phenoxyphenyl)butanamide;
 - 3-[(3-{{amino(2-thienyl)methylidene}amino}-benzyl)amino]-N-(4-anilinophenyl)propanamide;
 - 5 - N'-(4-{2-[(10*H*-phenothiazin-3-ylmethyl)amino]ethyl}phenyl)-2-thiophenecarboximidamide;
 - N-(4-{{amino(2-thienyl)methylidene}amino}phenethyl)-2-methoxy-10*H*-phenothiazine-1-carboxamide;
- or one of their salts.
- 10 7. Product according to claim 6, characterized in that it is one of the following compounds:
- 4-{{2-thienyl(imino)methyl}amino}-N-[2-(phenylamino)phenyl]-benzenebutanamide;
 - 4-{{2-thienyl(imino)methyl}amino}-N-[4-(phenylamino)phenyl]-benzenebutanamide;
 - N'-[4-(10*H*-phenothiazin-2-yloxy)phenyl]-2-thiophenecarboximidamide;
 - 15 - 4-(4-{{amino(2-thienyl)methylidene}amino}phenyl)-N-(10*H*-phenothiazin-3-yl)butanamide;
 - 3-[(3-{{amino(2-thienyl)methylidene}amino}-benzyl)amino]-N-(4-anilinophenyl)propanamide;
 - N'-(4-{2-[(10*H*-phenothiazin-3-ylmethyl)amino]ethyl}phenyl)-2-thiophenecarboximidamide;
 - 20

or one of their salts.


8. As new industrial products, the compounds of general formula (IS)



(IS)

in which

A represents a



radical in which R_1 , R_2 , R_3 , R_4 , R_5 represent, independently, a hydrogen atom, a halogen, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a cyano, nitro or NR_6R_7 radical,

R_6 and R_7 representing, independently, a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or also a $-COR_8$ group,


R_8 representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or NR_9R_{10} ,

R_9 and R_{10} representing, independently, a hydrogen atom, the OH group or a linear or branched alkyl radical having 1 to 6 carbon atoms,

R_{11} representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a $-COR_{12}$ radical,

and R_{12} representing a hydrogen atom, the OH group, a linear or branched alkyl radical having 1 to 6 carbon atoms,

or a



radical in which R_1 , R_2 , R_3 , R_4 , R_5 represent, independently, a hydrogen atom, a halogen, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a cyano, nitro or NR_6R_7 radical,

R_6 and R_7 representing, independently, a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or also a $-COR_8$ group,

R_8 representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or NR_9R_{10} ,

R_9 and R_{10} representing, independently, a hydrogen atom, the OH group or a linear or branched alkyl radical having 1 to 6 carbon atoms;

W does not exist, or represents a bond, or O, S or NR_{15} , in which R_{15} represents a

hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms;

X represents a bond or a $-(CH_2)_k-NR_{16}-$, $-O-$, $-S-$, $-CO-$, $-NR_{16}-CO-$, $-CO-NR_{16}-$, $-O-CO-$, $-CO-O-$, $-NR_{16}-CO-O-$ or $-NR_{16}-CO-NR_{17}-$ radical,

k representing 0 or 1;

Y represents a bond or a radical chosen from the $-(CH_2)_m-$, $-(CH_2)_m-O-(CH_2)_n-$, $-(CH_2)_m-S-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-(CH_2)_n-$, $-(CH_2)_m-NR_{18}-CO-(CH_2)_n-$, $-(CH_2)_m-CO-NR_{18}-(CH_2)_n-$ and $-(CH_2)_m-Q-(CH_2)_n-$ radicals,

Q representing piperazine, homopiperazine, 2-methylpiperazine, 2,5-dimethylpiperazine, 4-oxypiperidine or 4-aminopiperidine,


m and n being integers from 0 to 6;

10 Φ represents a bond or a phenylene radical which may comprise, in addition to the two chains already represented in general formula (I), up to two substituents chosen from a hydrogen atom, a halogen, an OH group, and a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms;

T represents NO_2 or NH_2 ;


15 R_{16} , R_{17} and R_{18} represent, independently, a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms.

9. As new industrial products, the compounds of general formula (IS')



in which

A represents a




20 radical in which R_1 , R_2 , R_3 , R_4 and R_5 represent, independently, a hydrogen atom, a halogen, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a cyano, nitro or NR_6R_7 radical,

R_6 and R_7 representing, independently, a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or also a $-COR_8$ group,
 R_8 representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or NR_9R_{10} ,

- 5 R_9 and R_{10} representing, independently, a hydrogen atom, the OH group, a linear or branched alkyl radical having 1 to 6 carbon atoms,
 R_{11} representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a $-COR_{12}$ radical,
 and R_{12} representing a hydrogen atom, the OH group, a linear or branched alkyl radical
 10 having 1 to 6 carbon atoms,

or a



radical in which R_1 , R_2 , R_3 , R_4 , R_5 represent, independently, a hydrogen atom, a halogen, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or a cyano, nitro or NR_6R_7 radical,

- 15 R_6 and R_7 representing, independently, a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or also a $-COR_8$ group,
 R_8 representing a hydrogen atom, the OH group, a linear or branched alkyl or alkoxy radical having 1 to 6 carbon atoms, or NR_9R_{10} ,
 R_9 et R_{10} representing, independently, a hydrogen atom, the OH group, a linear or
 20 branched alkyl radical having 1 to 6 carbon atoms;

W does not exist, or represents a bond, or O, S or NR_{15} , in which R_{15} represents a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms;

π represents a hydrogen atom or a protective group of the carbamate type;

- 25 R_{16} , R_{17} and R_{18} represent, independently, a hydrogen atom or a linear or branched alkyl radical having 1 to 6 carbon atoms;

and m represents an integer from 0 to 6.

10. As a medicament, a product of general formula (I) according to one of claims 1 to 7, or a pharmaceutically acceptable salt of said product.

11. Pharmaceutical composition containing as active ingredient at least one product according to one of claims 1 to 7, or a pharmaceutically acceptable salt of said product.

12. Use of a product of general formula (I) according to any one of claims 1 to 7, or a pharmaceutically acceptable salt of said product, for the production of a medicament
5 intended to inhibit NO synthase.

13. Use of a product of general formula (I) according to any one of claims 1 to 7, or a pharmaceutically acceptable salt of said product, for the production of a medicament intended to inhibit lipidic peroxidation.

14. Use of a product of general formula (I) according to any one of claims 1 to 7, or a
10 pharmaceutically acceptable salt of said product, for the production of a medicament having both an NO synthase inhibition activity and a lipidic peroxidation inhibition activity.